



## Dry Miter Cutter 9410ND



## Dry Miter Cutter 9410ND



| ITEM | PART NO    | Y | PART NAME                       |              | VAT         |
|------|------------|---|---------------------------------|--------------|-------------|
| 1    | 1604017    | 2 | Nut Housing                     | \$           | 1.12        |
| 2    | 3301005    | 2 | Hex. Nut                        | M5           | \$ 1.06     |
| 3    | 1607059N   | 1 | Motor Housing                   |              | \$ 48.10    |
| 4    | F2443010   | 2 | Hex. Socket No Hd. Screw        | M5×10        | \$ 1.52     |
| 5    | 0903028    | 2 | Carbon Brush Holder             |              | 09030285SET |
| 6    | 0901008-2  | 1 | Carbon Brush SET (2 Pieces)     | (220V)(115V) | \$ 27.06    |
| 7    | 0902006    | 2 | Brush Holder Cap                |              | 09030285SET |
| 8    | F2413027   | 4 | Pan Hd. Screw                   | M5×27        | \$ 0.99     |
| 9    | F2106322   | 2 | Sleeve                          |              | \$ 1.98     |
| 10   | F1001092E  | 1 | Field Assembly                  | (115V)       | \$ 121.26   |
|      | 1002092E   | 1 | Field Assembly                  | (230V)       | \$ 121.26   |
| 11   | 2210013    | 2 | Brush Holder Spring             |              | \$ 2.44     |
| 13   | 0602010    | 1 | Ball Bearing                    | 6200ZZ       | \$ 27.06    |
| 14   | F2413070   | 2 | Pan Hd. Screw                   | M5×70        | \$ 1.52     |
| 15   | F1803070   | 1 | Armature Assembly               | (115V)       | \$ 223.57   |
|      | F1804070   | 1 | Armature Assembly               | (230V)       | \$ 223.57   |
| 16   | F1201018   | 1 | Fan Guide                       |              | \$ 5.01     |
| 17   | F1209448   | 1 | Spindle Locker                  |              | \$ 5.59     |
| 18   | 2422010    | 2 | Counter Sunk Hd. Screw          | M4×10        | \$ 0.73     |
| 19   | F1202017   | 1 | Bearing Retainer                |              | \$ 2.62     |
| 20   | 0602007    | 1 | Ball Bearing                    | 6002ZZ       | \$ 15.52    |
| 21   | 2413020    | 2 | Pan Hd. Screw                   | M5×20        | \$ 1.22     |
| 22   | 2412023    | 4 | Pan Hd. Screw                   | M4×23        | \$ 0.78     |
| 23   | 1604242    | 1 | Cord Guard                      | (230V)       | \$ 4.41     |
| 24   | 1604018    | 1 | Strain Relief                   |              | \$ 1.58     |
| 25   | 2492014    | 2 | Tapping Screw                   | TS4×14       | \$ 0.78     |
| 26   | 1114012    | 1 | Power Supply Cord With US Plug  | (115V)       | \$ 32.88    |
|      | F1104002   | 1 | Power Supply Cord With VDE Plug | (230V)       | \$ 32.88    |
| 27   | 1601036-1S | 1 | Handle Set                      | (230V)       | \$ 28.70    |
| 28   | 1604273    | 1 | Set Lever                       | (230V)       | \$ 1.65     |
| 29   | 2207101    | 1 | Spring                          | (230V)       | \$ 0.53     |
| 30   | 2106466    | 2 | Wire Guide Wheel                | (230V)       | \$ 2.83     |
| 31   | 3301004    | 4 | Hex. Nut                        | M4           | \$ 1.06     |
| 32   | 0704105    | 1 | Switch                          | (230V)       | 0704105SET  |
| 33   | 2492010    | 2 | Tapping Screw                   | TS4×10       | 0704105SET  |
| 34   | F2207017   | 1 | Spring                          |              | 0704105SET  |
| 35   | 1604309    | 1 | Push Pole                       |              | 0704105SET  |
| 36   | 1604310    | 1 | Stopper                         |              | 0704105SET  |
| 37   | 1606023    | 1 | Wire Guide                      |              | \$ 2.37     |
| 38   | 1209509    | 1 | Plate                           |              | \$ 2.14     |
| 39   | 2412008    | 4 | Pan Hd. Screw                   | M4×8         | \$ 0.43     |
| 40   | 2106470    | 1 | Wire                            | (230V)       | 2106495SET  |
| 41   | 2207107    | 1 | Stopper Spring                  | (230V)       | 2106495SET  |
| 42   | 2106495    | 1 | Stopper                         | (230V)       | 2106495SET  |
| 43   | 2203070    | 1 | Retaining Ring                  | C-7(230V)    | 2106495SET  |
| 44   | 3005154-1  | 1 | Blade Cover                     |              | \$ 136.87   |
| 45   | 1209510    | 2 | Washer                          |              | \$ 4.00     |
| 46   | 1209508    | 1 | Plate                           |              | \$ 13.48    |
| 47   | 2412008    | 1 | Pan Hd. Screw                   | M4×8         | \$ 0.43     |
| 48   | 2207106    | 1 | Torsion Spring                  |              | \$ 0.43     |
| 49   | 0607014    | 1 | Needle Bearing                  | HK-0910      | \$ 9.86     |

## DMC 9410ND | 600651

|                   |           |        |                                            |                 |    |            |
|-------------------|-----------|--------|--------------------------------------------|-----------------|----|------------|
| 50                | 2203120   | 1      | Retaining Ring                             | C-12            | \$ | 2.60       |
| 51                | 1905111   | 1      | Helical Gear                               | Ø13×4           | \$ | 27.06      |
| 52                | T2201003  | 1      | Woodruff Key                               | Ø10×3           | \$ | 3.45       |
| 53                | 2004104   | 1      | Spindle                                    | φ22×96.5        | \$ | 27.06      |
| 54                | 2412010   | 2      | Tapping Screw                              | M4×10           | \$ | 1.06       |
| 55                | 1202027   | 1      | Bearing Retainer                           |                 | \$ | 2.96       |
| 56                | 0606063   | 1      | Ball Bearing                               | 6203LU          | \$ | 27.06      |
| 57                | 3004085   | 1      | Bearing Box                                |                 | \$ | 55.36      |
| 58                | 2413020   | 4      | Pan Hd. Screw                              | M5×20           | \$ | 1.22       |
| 59                | 2108040   | 1      | Sleeve                                     | φ22*φ17*17      | \$ | 4.69       |
| 60                | 2412008   | 1      | Screw                                      | M4×8            | \$ | 0.43       |
| 61                | 2207160   | 1      | Spring                                     | φ4.5*63*φ0.6    | \$ | 2.57       |
| 62                | 3005156   | 1      | Safely Cover                               |                 | \$ | 40.47      |
| 63                | 2203420   | 1      | Retaining Ring                             | C-42            | \$ | 2.71       |
| 64                | 3005155-1 | 1      | Face Cover                                 |                 | \$ | 37.82      |
| 65                | 2413015   | 5      | Pan Hd. Screw                              | M5×15           | \$ | 1.22       |
| 66                | 1209530   | 1      | Plate                                      |                 |    | 1209530SET |
| 67                | 2413008   | 2      | Pan Hd. Screw                              | M5×8            |    | 1209530SET |
|                   |           |        | 2 x Flange, 1 x Flat Washer, 1 x Screw, 1x |                 |    |            |
| 68-71/ 2108031SET | 1         | Sleeve |                                            |                 | \$ | 46.07      |
| 72                | 0607016   | 1      | Ball Bearing                               | HK-0709         | \$ | 8.69       |
| 73                | 2203170   | 1      | Retaining Ring                             | C-17            | \$ | 0.69       |
| 75                | 1906028   | 1      | Gear Shaft                                 |                 | \$ | 11.84      |
| 74                | F1905112  | 1      | Pinion Gear                                |                 | \$ | 10.00      |
| 76                | F2201006  | 1      | Woodruff Key                               | 4xφ13           | \$ | 1.98       |
| 77                | F0607005  | 1      | Needle Bearing                             | HK-1210         | \$ | 16.38      |
| 78                | 1606101   | 1      | Rubber Cup                                 | φ30xφ30x10      | \$ | 5.10       |
| 79                | 2106494   | 1      | Swing Shaft                                | φ16x122         | \$ | 9.63       |
| 80                | 2412012   | 1      | Pan Hd. Screw                              | M4×12           | \$ | 1.06       |
| 81                | 2203070   | 1      | Retaining Ring                             | C-7             |    | 2106553SET |
| 82                | 1604300-1 | 1      | Knob                                       |                 |    | 2106553SET |
| 83                | 1606168   | 1      | O – Ring                                   | φ6.8xφ10.6xφ1.9 |    | 2106553SET |
| 84                | 2106553   | 1      | Transportation Lock Pin                    | φ9.9x44         |    | 2106553SET |
| 85                | 3301008   | 1      | Hex. Nut                                   | M8              | \$ | 1.06       |
| 86                | 2476035   | 1      | Hex. Hd. Screw                             | M8×35           | \$ | 1.24       |
| 87                | 2413015   | 2      | Pan Hd. Screw                              | M5×15           | \$ | 1.22       |
| 88                | 1209531N  | 1      | Support Seat                               |                 | \$ | 7.73       |
| 89                | 3005160-2 | 1      | Arm                                        |                 | \$ | 78.91      |
| 90                | 2476030   | 1      | Hex. Hd. Screw                             | M8×30           | \$ | 1.06       |
| 91                | 3301008   | 1      | Hex. Nut                                   | M8              | \$ | 1.06       |
| 92                | 3306012   | 1      | Hex Nut With Plastic Insert                | M12             | \$ | 1.06       |
| 93                | 2106668   | 1      | Flat Washer                                | φ12xφ32x6       | \$ | 6.90       |
| 94                | 3306005   | 1      | Lock Nut                                   | M5              | \$ | 0.53       |
| 97                | 2446020   | 2      | Hex. Socket No Hd. Screw                   | M8×20           | \$ | 1.06       |
| 98                | 3301008   | 1      | Hex. Nut                                   | M8              | \$ | 1.06       |
| 99                | 1209520   | 1      | Flat Washer                                |                 | \$ | 2.37       |
| 100               | 2106487   | 1      | Pilot Wheel                                | φ6.7xφ9xφ15x7.4 |    | 1209529SET |
| 101               | 1209529   | 1      | Pilot Plate                                |                 |    | 1209529SET |
| 102               | 2106675   | 1      | Screw                                      |                 |    | 1209529SET |
| 103               | 2106674   | 1      | Screw                                      |                 |    | 1209529SET |
| 104               | 3005219   | 1      | Fence Guide                                |                 | \$ | 71.84      |

## DMC 9410ND | 600651

|     |           |   |                             |               |    |                           |
|-----|-----------|---|-----------------------------|---------------|----|---------------------------|
| 105 | 2456025-1 | 4 | Hex. Socket Hd. Screw       | M8×25         | \$ | 1.24                      |
| 106 | 2413008   | 2 | Pan Hd. Screw               | M5×8          | \$ | 1.06                      |
| 107 | 3005220   | 1 | Table Insert                |               | \$ | 70.69                     |
| 108 | 2106478   | 1 | Shaft                       |               | \$ | 27.06                     |
| 109 | 2106480-1 | 1 | Locating Pin                |               | \$ | 9.86                      |
| 110 | 2442006   | 1 | Hex. Socket No Hd. Screw    | M4×6          | \$ | 0.78                      |
| 111 | 2412010   | 1 | Pan Hd. Screw               | M4×10         | \$ | 1.06                      |
| 112 | 1209496   | 1 | Indicate Plate              |               | \$ | 1.62                      |
| 114 | 2106479-2 | 1 | Linking Shaft               |               | \$ | 35.22                     |
| 115 | 3005161-1 | 1 | Disc                        |               | \$ | 78.91                     |
| 116 | 1209494   | 1 | Washer                      |               | \$ | 2.62                      |
| 117 | 1209489   | 1 | Back-up Plate               |               | \$ | 1.31                      |
| 118 | 2412010   | 1 | Pan Hd. Screw               | M4×10         | \$ | 1.06                      |
| 119 | F1602006  | 1 | Side Handle                 |               | \$ | 9.47                      |
| 120 | F3005143  | 1 | Adjusting Plate (L)         |               |    | F3005143SET               |
| 121 | F3005142  | 1 | Adjusting Plate (R)         |               |    | F3005142SET               |
|     |           |   |                             |               |    | F3005142SET & F3005143SET |
| 122 | 2403012-1 | 2 | Thumb Screw                 | M5×12         |    | F3005143SET               |
| 123 | 1501201A  | 1 | Vise Assembly               |               |    | 1501201ASET               |
| 125 | 1604264   | 2 | Wing Nut                    | M6×15         |    | 1501201ASET               |
| 126 | 1501200   | 1 | Detent Plate                |               | \$ | 74.42                     |
| 128 | 2413015   | 2 | Pan Hd. Screw               | M5×15         | \$ | 1.22                      |
| 129 | 2106492   | 1 | Bushing                     |               | \$ | 5.40                      |
| 130 | 1209543   | 1 | Flat Washer                 | Ø32×12        | \$ | 3.61                      |
| 131 | 3306012   | 1 | Hex Nut With Plastic Insert | M12           | \$ | 1.06                      |
| 132 | 3005148-1 | 1 | Base                        |               | \$ | 247.94                    |
| 133 | 2223050   | 4 | Flat Washer                 | Ø 5           | \$ | 0.32                      |
| 134 | 2222050   | 2 | Spring Washer               | Ø 5           | \$ | 1.01                      |
| 135 | 2222050   | 2 | Spring Washer               | Ø 5           | \$ | 1.01                      |
| 136 | 2222040   | 4 | Spring Washer               | Ø 4           | \$ | 0.34                      |
| 137 | 2223040   | 4 | Flat Washer                 | Ø 4           | \$ | 0.27                      |
| 138 | 2222040   | 4 | Spring Washer               | Ø 4           | \$ | 0.34                      |
| 139 | 2222050   | 1 | Spring Washer               | Ø 5           | \$ | 1.01                      |
| 140 | 2222040   | 1 | Spring Washer               | Ø 4           | \$ | 0.34                      |
| 141 | 2222050   | 4 | Spring Washer               | Ø 5           | \$ | 1.01                      |
| 142 | 2222050   | 5 | Spring Washer               | Ø 5           | \$ | 1.01                      |
| 143 | 2222050   | 2 | Spring Washer               | Ø 5           |    | 1209530SET                |
| 145 | 1606227   | 1 | Rubber Stopper              |               | \$ | 1.38                      |
| 146 | 2212035   | 1 | Rivet                       |               | \$ | 0.68                      |
| 147 | 2222040   | 2 | Spring Washer               | Ø 4           | \$ | 0.34                      |
|     |           |   |                             |               |    | F3005142SET & F3005143SET |
| 148 | 1209352   | 2 | Flat Washer                 |               |    | F3005143SET               |
| 149 | 2222080   | 4 | Spring Washer               | Ø 8           | \$ | 1.06                      |
| 150 | 2223080   | 4 | Flat Washer                 | Ø 8           | \$ | 1.43                      |
| 151 | 2222050   | 2 | Spring Washer               | Ø 5           | \$ | 1.01                      |
| 152 | 2222050   | 2 | Spring Washer               | Ø 5           | \$ | 1.01                      |
| 153 | 2222040   | 1 | Spring Washer               | Ø 4           | \$ | 0.34                      |
| 155 | 2222040   | 1 | Spring Washer               | Ø 4           | \$ | 0.34                      |
| 156 | 2222050   | 2 | Spring Washer               | Ø 5           | \$ | 1.01                      |
| 157 | 2222050   | 4 | Spring Washer               | Ø 5           | \$ | 1.01                      |
| 200 | F2603060  | 1 | Hex Wrench                  | 6mm           | \$ | 4.76                      |
| 201 | F2108031  | 1 | Sleeve                      | φ25.4xφ15.9x2 | \$ | 2.85                      |
| 202 | 1604392   | 1 | Blade Cover End Cap         | Yellow        | \$ | 6.58                      |

| SETS |             |                                                 |    |        |
|------|-------------|-------------------------------------------------|----|--------|
| 203  | 0903028SET  | Cap (7)                                         | \$ | 60.70  |
|      |             | Switch (32) / 2x Tapping Screw (33) / Spring    |    |        |
| 204  | 0704105SET  | (34) / Push Pole (35) / Stopper (36)            | \$ | 39.85  |
| 205  | 2106495SET  | Retaining Ring (43)                             | \$ | 6.51   |
| 206  | 1209530SET  | Spring Washer (143)                             | \$ | 6.77   |
|      |             | Retaining Ring (81) / Knob (82) / O – Ring (83) |    |        |
| 207  | 2106553SET  | / Transportation Lock Pin (84)                  | \$ | 22.43  |
| 208  | 1209529SET  | (102) / Screw (103)                             | \$ | 22.24  |
| 209  | F3005143SET | / Flat Washer (148)                             | \$ | 30.37  |
| 210  | F3005142SET | / Flat Washer (148)                             | \$ | 30.37  |
| 211  | 1501201ASET | Vise Assembly (123) / 2x Wing Nut (125)         | \$ | 250.14 |